



Manual height adjustable cantilever frame

Rigid heavy duty work station frame with manual height adjustment from 700 to 1050 mm. Heights stated are without work top. Complete work station frame consists of cantilever L-frames, rear frame, C-rail and double crossbar. Supplied without work top. For draw units see pages 39-44.



Technical data

1100x780 mm, weight: 29 kg
 1500x780 mm, weight: 33 kg
 2000x780 mm, weight: 39 kg

Max load capacity, evenly distributed weight*: 500 kg
 * With heavy-duty work top (42 mm)

Part number	Part	Weight
60-36-490-8630	Manual height adjustable cantilever frame, ESD Grey, 1100x780 mm	29 kg
60-36-500-8630	Manual height adjustable cantilever frame, ESD Grey, 1500x780 mm	33 kg
60-36-510-8630	Manual height adjustable cantilever frame, ESD Grey, 2000x780 mm	39 kg

Manual height adjustable work station - light H-frame

The work station is intended for light assembly work. The frame consists of 2 H-shaped legs 35x35x2 mm, rear frame and C-rail. Manual height adjustable from 700 to 950 mm. Heights stated are without work top. Supplied without work top. For drawer units, see pages 39-44.



Technical data

1090x765 mm, weight: 18 kg
 1490x765 mm, weight: 21 kg
 1990x765 mm, weight: 24 kg

Max load capacity, evenly distributed weight*: 300 kg
 * Applies to all models

Part number	Part	Weight
60-34-105-8630	Manual height adjustable work station, ESD Grey, 1090x765 mm	18 kg
60-34-106-8630	Manual height adjustable work station, ESD Grey, 1490x765 mm	21 kg
60-34-107-8630	Manual height adjustable work station, ESD Grey, 1990x765 mm	24 kg



ESD

ESD in grey laminate with black edging strip all round.

Part number	Part	Weight
60-35-369-8001	ESD, 1200x800x19 mm	14 kg
60-35-586-8001	ESD, 1500x800x19 mm	18 kg
60-35-587-8001	ESD, 2000x800x19 mm	23 kg

FIVE STAR RANGE

Static dissipative chairs which conform to BS4875 Part 1 to highest test level 5. (Strength and stability). All chairs are individually tested, are fire resistant and have fully adjustable back-rest. All standard chairs are available in vinyl, blue fabric or charcoal fabric. All have gas-lift height adjustment.



60-5ST1V Vinyl.
60-5ST1CH Charcoal Fabric.
60-5ST1BL Blue Fabric.
Seat height adjustment
460-660mm.



60-5ST2V Vinyl.
60-5ST2CH Charcoal Fabric.
60-5ST2BL Blue Fabric.
Seat height adjustment
480-680mm.



60-5ST3V Vinyl.
60-5ST3CH Charcoal Fabric.
60-5ST3BL Blue Fabric.
Seat height adjustment
550-800mm.



60-5ESD

- Te voorzien van ESD veilige armleggers



60-2300 ESD Ergo

ESD Dralon gestoffeerde zitting en rugleuning

- hoogteverstelling ca. 46-59 cm
- werkbladhoogte ca. 70-80 cm



Hoge stoel met in hoogte verstelbare voetenring (Ø 50 cm)

60-2301 ESD Ergo

- hoogteverstelling ca. 54-73 cm
- werkbladhoogte ca. 80-90 cm

60-2302 ESD Ergo

- hoogteverstelling ca. 60-85 cm
- werkbladhoogte ca. 90-100 cm

ESD Stoffering



Antraciet
007 ESD Dralon



Donkerblauw
089 ESD Dralon



Zwart
K07 ESD Kunstleer



Gezonde zithouding

De anatomisch gevormde zadelzitting kantelt het bekken in de juiste positie. Dit bevordert de natuurlijke S curve in de werkvelkolom waardoor u niet alleen prettig maar vooral gezonder zit!



60-5000 ESD Jumper

60-5001 ESD Amazone

De Amazone is de smallere versie van de Jumper. Ook verkrijgbaar met een rugleuning.

- verkrijgbaar in dralon of kunstleer ESD
- zowel in een hoog als laag model te verkrijgen
- aluminium onderstel ø 50 cm
- hoogteverstelling ca. 62-87 cm
- werkbladhoogte ca. 90-100 cm



>> Garantie



- 5 jaar op de metalen delen
- 2 jaar op bekleding bij normaal gebruik (8 uur per dag)